Liquid Crysral Display 4 Inch 480x800 IPS LCD TFT Smart Panel Screen Module For Car Home Power Meters

Our Product Introduction

Basic Information

- Place of Origin: Shenzhern,China
- Brand Name: RGH
- Certification: ISO9001/ISO14001
- Model Number: RTP40WV063A
- Minimum Order Quantity: 3PCS
- Price: Negotiable
- Packaging Details: Standard Exportation Package
- Delivery Time: 3-5weeks
- Payment Terms: L/C, T/T,Paypal
- Supply Ability: 3.5kk

Product Specification

- Screen Size: 4.0 Inch
- Resolution: 480X(RGB)X800
- Dimensions: 61.40(W)X114.00(H)X3.40(T)
- Display Type: TFT LCD
- Response Time: TBD
- Interface: MIPI 2T
- Contrast Ratio: 900:1
- Viewing Angle: ALL O'clock
- Number Of Dots: 480X(RGB)X800
- Active Area: 51.84(W) X86.40 (H) Mm
- Operating Temperature: -20 ~70
- Storage Temperature: -30 ~80
- Driving IC: ST7701S
- Backlight: 8LEDS
- Approx. Weight: TBD

More Images





for more products please visit us on displaytftlcd.com

Our Product Introduction

Product Description





for more products please visit us on displaytftlcd.com

IT IS USED IN A VARIETY OF FIELDS

DIVERSE NEEDS · MULTIPLE FIELDS · I AM ENOUGH

THIS PRODUCT CAN BE WIDELY USED IN INDUSTRY,
AUTOMOTIVE ELECTRONICS, HOME APPLIANCES,
MEDICAL EQUIPMENT, COMMUNICATIONS AND MANY OTHER FIELDS



NO.	Symbol		
1	GND		Ground
2	LEDK		LED power cathode
3	LEDA		LED power anode
4	GND		Ground
5	D1P		MIPI Data pin Positive
6	D1N		MIPI Data pin Positive
7	GND		Ground
8	D0P		MIPI Data pin Positive
9	D0N		MIPI Data pin Positive
10	GND		Ground
11	CLKP		Mipi clock signal
12	CLKN		Mipi clock signal
13	GND		Ground
14	TE		TE
15	RESET		RESET.PIN
16	GND		Ground
17	NC		NC
18-19	IOVCC	1.8V	Power supply for digital interface
20	GND		Ground
21-22	VCC	2.8V	Power setting
23	GND		Ground
24	TP-RST		TP-RST
25	TP-NT		TP-INT
26	TP-SCL		TP-SCL
27	TP-SDA		TP-SDA
28	GND		Ground
29	TP-VCC		TP-VCC
30	GND		Ground



RONGHUI OPTOELECTRONICS
INGENUITY SPIRIT: WORK HARD

FOCUS SO WE ARE MORE PROFESSIONAL



FACTORY DIRECT SUPPLY

THE PRINCIPLE OF SIMPLICITY AND PRACTICALITY

INGENUITY

TREAT IT WITH CARE PER PRODUCT



PERFECT SERVICE

PROVIDE PROFESSIONAL SERVICES TO CUSTOMERS

CERTIFICATE DISPLAY

PACKING METHOD

(1). Put module into tray cavity :

(2). Tray stacking

(3). Put 1 cardboard under the tray stack and 1 cardboard above:

(4). Fix the cardboard to the tray stack with adhesive tape:

(5). Put the tray stack and 4 pcs desiccant into the LDPE bag

(6). Fix the LDPE bag with adhesive tape:

(7). Put LDPE bag with tray stack into carton.:

(8). Carton sealing with adhesive tape.

(1)



(2)



(3)

(4)





(5)

(6)





(7)



(8)



FAQ

1: What are the payment terms?
A: We usually accept T/T, Paypal, other terms to be negotiated.

2: What's the lead time?
A: Usually 3~5 days for sample orders if goods are in stock, and 3~5 weeks for mass production (basing on the quantity and product).

3. Do you support custom logo on the LCM?
A: Yes, we support, pls send us your detail inquiry, our sales will contact you asap.

4. How can I place a sample order?
A: Pls send us your inquiry, our sales will contact you soon.

5. What size LCD display can you provide?
A: 0.96 inch to 21.5 inch TFT LCD display we can provide.

7. What's your MOQ?
A: Most of our product's MOQ is 1K, beacuse we are a LCD display manufacturer.

8. What shipping ways do you support?
A: We can consult with it.

Rongguang Hui Optoelectronics Science and Technology

+8613924639701 allan@rgh-display.com displaytftlcd.com

Meilan Business Center 2001, at the intersection of Xixiang Avenue and Qianjin 2nd Road , Xixiang Street ,

Bao'an District , Shenzhen City