



3.1 Inch Smart Door Lock LCD Display 480*800 Resolution IPS Display

Our Product Introduction

for more products please visit us on displayftltd.com


Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: RGH
- Certification: ISO9001/ISO14001
- Model Number: RT31WV002A
- Minimum Order Quantity: 3PCS
- Price: Negotiable
- Packaging Details: Standard Exportation Package
- Delivery Time: 3-5 weeks
- Payment Terms: L/C, T/T, Paypal
- Supply Ability: 3.5kk



Product Specification

- Size: 3.1 Inch
- Resolution: 480*800
- Display Mode: Transmissive
- Driver Ic: ST77010S
- Luminance: 450 CD/M2
- Interface: MIPI
- Outline Size: 43.48(W) X74.72(H) X1.68(T)
- Active Area: 40.32(W) X67.20(H)
- View Direction: ALL
- Backlight: 6LEDs
- Surface Luminance: 450CD/M2
- Logic Voltage: 2.5V-3.3V
- Operating Temperature: -20 ~70
- Storage Temperature: -30 ~80
- Weight: TBD



More Images






HIGH TEMPERATURE
AND HUMIDITY



ELECTROSTATICS
ESD



CORROSION-RESISTANT



ANTI-VIBRATION




SALT SPRAY TEST



AGING AT HIGH
TEMPERATURES

GOOD DRIVER COMPATIBILITY VARIOUS INTERFACES ARE SUPPORTED

||



SUPPORT MULTIPLE
INTERFACES



CUSTOMIZED
INTERFACE



CABLE



TP

IT IS USED IN A VARIETY OF FIELDS

DIVERSE NEEDS • MULTIPLE FIELDS • I AM ENOUGH

THIS PRODUCT CAN BE WIDELY USED IN INDUSTRY,
AUTOMOTIVE ELECTRONICS, HOME APPLIANCES,
MEDICAL EQUIPMENT, COMMUNICATIONS AND MANY OTHER FIELDS




CAR NAVIGATION



CHARGING PILES




POS MACHINES



SMART HOME
APPLIANCES




MEDICAL
EQUIPMENT



GAS DETECTORS



PRINTER



BEAUTY EQUIPMENT



GAME



SMART
WEARABLES



FACIAL
RECOGNITION DEVICES



MANAGE HANDHELD
TERMINALS

NO.	Symbol	Level	Function
1	GND		Ground pin for analog circuits
2	DN0		Mipi data signal
3	DP0		Mipi data signal
4	GND		Ground pin for analog circuits
5	CKN		Mipi clock signal
6	CKP		Mipi clock signal
7	GND		
8	DN1		Mipi data signal
9	DP1		Mipi data signal
10	GND		Ground pin for analog circuits
11	RESET		System reset pin
12	IOVCC	1.8V	Power setting
13	LEDA		LED Power:anode
14	LEDK		LED Power:cathode
15	NC		DUMMY
16	TE		TE
17	VCC	2.8V	Power setting
18	GND		Ground pin for analog circuits
19	GND		Ground pin for analog circuits
20	NC		NC
21	NC		NC
22	GND		Ground pin for analog circuits
23	NC		NC
24	NC		NC


CERTIFICATE DISPLAY




PACKING METHOD




- (1). Put module into tray cavity :
- (2). Tray stacking
- (3). Put 1 cardboard under the tray stack and 1 cardboard above:
- (4). Fix the cardboard to the tray stack with adhesive tape:
- (5). Put the tray stack and 4 pcs desiccant into the LDPE bag
- (6). Fix the LDPE bag with adhesive tape:
- (7). Put LDPE bag with tray stack into carton.:
- (8). Carton sealing with adhesive tape.







(5)





(6)



(7)



(8)



FAQ

1: What are the payment terms?

A: We usually accept T/T, Paypal, other terms to be negotiated.

2: What's the lead time?

A: Usually 3~5 days for sample orders if goods are in stock, and 3~5 weeks for mass production (basing on the quantity and product).

3. Do you support custom logo on the LCM?

A: Yes, we support, pls send us your detail inquiry, our sales will contact you asap.

4. How can I place a sample order?

A: Pls send us your inquiry, our sales will contact you soon.

5. What size LCD display can you provide?

A: 0.96 inch to 21.5 inch TFT LCD display we can provide.

7. What's your MOQ?

A: Most of our product's MOQ is 1K, beacuse we are a LCD display manufacturer.

8. What shipping ways do you support?

A: We can consult with it.



Rongguang Hui Optoelectronics Science and Technology



+8613924639701



allan@rgh-display.com



displaytftlcd.com

Meilan Business Center 2001, at the intersection of Xixiang Avenue and Qianjin 2nd Road , Xixiang Street ,

